

Lewiston - Heavy Hand: Gold (Au) Assay Results								
Drill Hole	Sample Number	From (m)	To (m)	Interval (m)	Au (g/t)	Fire Assay Method	Avg Grade (g/t)	Total Interval (m)
23-LD001	M035519	33	34	1	0.16	Photon Assay (CPA-Au1)		
23-LD002A	M035641	117.14	117.45	0.31	0.28	Photon Assay (CPA-Au1)	0.10 g/t Au	10.34 m
	M035642	117.45	118.00	0.55	0.19	Photon Assay (CPA-Au1)		
	M035643	118.00	119.16	1.16	0.03	Photon Assay (CPA-Au1)		
	M035644	119.16	119.76	0.60	0.16	Photon Assay (CPA-Au1)		
	M035645	119.76	120.21	0.45	0.07	Photon Assay (CPA-Au1)		
	M035646	120.21	120.85	0.64	0.03	Photon Assay (CPA-Au1)		
	M035647	120.85	121.52	0.67	0.44	Photon Assay (CPA-Au1)		
	M035648	121.52	121.89	0.37	0.02	Photon Assay (CPA-Au1)		
	M035649	121.89	122.36	0.47	0.02	Photon Assay (CPA-Au1)		
	M035650	122.36	122.94	0.58	0.03	Photon Assay (CPA-Au1)		
	M035651	122.94	124.00	1.06	0.02	Photon Assay (CPA-Au1)		
	M035652	124.00	124.89	0.89	0.05	Photon Assay (CPA-Au1)		
	M035653	124.89	125.46	0.57	0.15	Photon Assay (CPA-Au1)		
	M035654	125.46	126.13	0.67	0.09	Photon Assay (CPA-Au1)		
	M035655	126.13	126.67	0.54	0.02	Photon Assay (CPA-Au1)		
23-LD003	M035656	126.67	127.10	0.43	0.02	Photon Assay (CPA-Au1)		
	M035657	127.10	127.48	0.38	0.31	Photon Assay (CPA-Au1)		
	M035714	0.0	1.2	1.2	0.20	Photon Assay (CPA-Au1)		
	M035718	6.46	7.78	1.32	0.12	Photon Assay (CPA-Au1)		
	M035721	9.21	9.46	0.25	0.40	Photon Assay (CPA-Au1)		
	M035699	71.56	72.25	0.69	0.11	Photon Assay (CPA-Au1)		
23-LD004	M035708	81.39	81.74	0.35	0.24	Photon Assay (CPA-Au1)		
	M035774	12.00	13.00	1.00	0.47	Photon Assay (CPA-Au1)		
23-LD005	M035895	43.50	44.00	0.50	0.33	Photon Assay (CPA-Au1)		
23-LD006	M035931	0.00	1.00	1.00	0.13	Photon Assay (CPA-Au1)		
	M035946	23.00	25.13	2.13	0.15	Photon Assay (CPA-Au1)		
	M035979	67.50	68.50	1.00	0.11	Photon Assay (CPA-Au1)		
	M036056	103.00	104.00	1.00	0.17	Photon Assay (CPA-Au1)		
	M036067	113.00	114.00	1.00	0.17	Photon Assay (CPA-Au1)	0.14 g/t Au	2.0 m
	M036066	114.00	115.00	1.00	0.11	Photon Assay (CPA-Au1)		
23-LD007	M036086	8.00	9.10	1.10	0.42	Photon Assay (CPA-Au1)		
	M036141	69.00	69.50	0.50	1.91	Photon Assay (CPA-Au1)		
23-LD009	M038835	13.71	15.00	1.29	0.42	Photon Assay (CPA-Au1)	0.30 g/t Au	2.4 m
	M038836	15.00	16.10	1.10	0.17	Photon Assay (CPA-Au1)		
	M038866	60.00	61.00	1.00	0.11	Photon Assay (CPA-Au1)		
	M038881	80.00	82.00	2.00	0.28	Photon Assay (CPA-Au1)	0.18 g/t Au	4.0 m
	M038882	82.00	83.00	1.00	0.04	Photon Assay (CPA-Au1)		
	M038883	83.00	84.00	1.00	0.11	Photon Assay (CPA-Au1)		
23-LD010	M038551	0.00	1.22	1.22	0.22	Photon Assay (CPA-Au1)		
	M038564	18.00	20.27	2.27	0.10	Photon Assay (CPA-Au1)	0.16 g/t Au	5.0 m
	M038565	20.27	22.00	1.73	0.26	Photon Assay (CPA-Au1)		
	M038566	22.00	23.00	1.00	0.12	Photon Assay (CPA-Au1)		
	M038609	78.00	78.70	0.70	1.72	Photon Assay (CPA-Au1)		
	M038632	99.00	100.00	1.00	0.48	Photon Assay (CPA-Au1)	0.29 g/t Au	6.0 m
	M038633	100.00	101.00	1.00	0.13	Photon Assay (CPA-Au1)		
	M038634	101.00	102.00	1.00	0.20	Photon Assay (CPA-Au1)		
	M038635	102.00	103.00	1.00	0.33	Photon Assay (CPA-Au1)		
	M038636	103.00	104.00	1.00	0.38	Photon Assay (CPA-Au1)		
	M038637	104.00	105.00	1.00	0.21	Photon Assay (CPA-Au1)		
	M038721	137.00	138.00	1.00	0.18	Photon Assay (CPA-Au1)	0.1 g/t Au	10.0 m
	M038722	138.00	139.00	1.00	0.15	Photon Assay (CPA-Au1)		
	M038723	139.00	140.00	1.00	0.03	Photon Assay (CPA-Au1)		
	M038724	140.00	141.00	1.00	0.12	Photon Assay (CPA-Au1)		
	M038725	141.00	142.00	1.00	0.03	Photon Assay (CPA-Au1)		
	M038726	142.00	143.00	1.00	<0.0015	Photon Assay (CPA-Au1)		
	M038727	143.00	144.00	1.00	0.03	Photon Assay (CPA-Au1)		
	M038728	144.00	145.00	1.00	0.02	Photon Assay (CPA-Au1)		
	M038729	145.00	146.00	1.00	0.22	Photon Assay (CPA-Au1)		
	M038731	146.00	147.00	1.00	0.17	Photon Assay (CPA-Au1)		
23-LD011	M036449	273.00	274.00	1.00	0.96	Photon Assay (CPA-Au1)	0.35 g/t Au	10 m
	M036450	274.00	275.00	1.00	0.15	Photon Assay (CPA-Au1)		
	M036451	275.00	276.00	1.00	0.19	Photon Assay (CPA-Au1)		
	M036452	276.00	277.00	1.00	<0.015	Photon Assay (CPA-Au1)		
	M036453	277.00	278.00	1.00	0.50	Photon Assay (CPA-Au1)		
	M036454	278.00	280.00	2.00	0.03	Photon Assay (CPA-Au1)		
	M036455	280.00	282.00	2.00	0.55	Photon Assay (CPA-Au1)		
	M036456	282.00	283.00	1.00	0.52	Photon Assay (CPA-Au1)		
	M036463	293.00	294.00	1.00	0.14	Photon Assay (CPA-Au1)		
	M036472	302.00	303.00	1.00	0.29	Photon Assay (CPA-Au1)	0.37 g/t Au	2 m
	M036473	303.00	304.00	1.00	0.44	Photon Assay (CPA-Au1)		